

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	8708	702/51.ccls. or 73/40,40.5r,46,49.1.ccls. or 137/312,313,314,458,557,480,486,460,456,488.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 17:32
L2	95	(702/51.ccls. or 73/40,40.5r,46,49.1.ccls. or 137/312,313,314,458,557,480,486,460,456,488.ccls.) and control\$4 with leak\$3 with system\$1	US-PGPUB	OR	ON	2007/05/03 17:32
L3	4	(702/51.ccls. or 73/40,40.5r,46,49.1.ccls. or 137/312,313,314,458,557,480,486,460,456,488.ccls.) and control\$4 with leak\$3 with system\$1 with (processor\$1 or microprocessor\$1 or CPU)	US-PGPUB	OR	ON	2007/05/03 17:33
L4	7	(702/51.ccls. or 73/40,40.5r,46,49.1.ccls. or 137/312,313,314,458,557,480,486,460,456,488.ccls.) and control\$4 with leak\$3 with system\$1 same (processor\$1 or microprocessor\$1 or CPU)	US-PGPUB	OR	ON	2007/05/03 17:33
L5	19	(702/51.ccls. or 73/40,40.5r,46,49.1.ccls. or 137/312,313,314,458,557,480,486,460,456,488.ccls.) and control\$4 with leak\$3 with system\$1 and (processor\$1 or microprocessor\$1 or CPU) with (code or coding or program\$5 or software)	US-PGPUB	OR	ON	2007/05/03 17:33
S2	4	((("4883087") or ("4043355") or ("4825198") or ("6134949")).PN.	USPAT	OR	OFF	2007/01/23 15:12
S3	8	((("4883087") or ("4043355") or ("4825198") or ("6134949")).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/23 15:31
S4	9250	control\$4 with leak\$3 with system\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 13:37
S5	26	control\$4 with leak\$3 with system\$1 with (processor\$1 or microprocessor\$1 or CPU) with (code or coding or program\$5 or software)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 13:38

EAST Search History

S6	0	control\$4 with leak\$3 with system\$1 with (flowmeter\$1 or (flow\$3 with meter\$1)) with (processor\$1 or microprocessor\$1 or CPU) with (code or coding or program\$5 or software)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 13:38
S7	0	control\$4 with leak\$3 with system\$1 with (flowmeter\$1 or (flow\$3 with meter\$1)) with stop\$4 with valve\$1 same (processor\$1 or microprocessor\$1 or CPU) with (code or coding or program\$5 or software)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 13:39
S8	0	control\$4 with leak\$3 with system\$1 with (flowmeter\$1 or (flow\$3 with meter\$1)) with stop\$4 with valve\$1 and (processor\$1 or microprocessor\$1 or CPU or computer\$1) with (code or coding or program\$5 or software)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 13:50
S9	0	leak\$3 with system\$1 with (flowmeter\$1 or (flow\$3 with meter\$1)) with stop\$4 with valve\$1 and (processor\$1 or microprocessor\$1 or CPU or computer\$1) with (code or coding or program\$5 or software)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 13:39
S10	0	control\$4 with leak\$3 with (flowmeter\$1 or (flow\$3 with meter\$1)) with stop\$4 with valve\$1 and (processor\$1 or microprocessor\$1 or CPU or computer\$1) with (code or coding or program\$5 or software)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 13:39
S11	13	control\$4 with leak\$3 with (flowmeter\$1 or (flow\$3 with meter\$1)) and stop\$4 with valve\$1 and (processor\$1 or microprocessor\$1 or CPU or computer\$1) with (code or coding or program\$5 or software)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/24 09:18
S12	2	control\$4 with leak\$3 with (flowmeter\$1 or (flow\$3 with meter\$1)) and stop\$4 with valve\$1 and (processor\$1 or microprocessor\$1 or CPU or computer\$1) with (code or coding or program\$5 or software) and pipe\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 15:36

EAST Search History

S13	8	control\$4 with leak\$3 with (flowmeter\$1 or (flow\$3 with meter\$1)) and (clos\$3 or open\$4 or stop\$4) with valve\$1 and (processor\$1 or microprocessor\$1 or CPU or computer\$1) with (code or coding or program\$5 or software) and pipe\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 16:16
S14	3	control\$4 with leak\$3 with (flowmeter\$1 or (flow\$3 with meter\$1)) and (clos\$3 or open\$4 or stop\$4) with valve\$1 and (processor\$1 or microprocessor\$1 or CPU or computer\$1) with (code or coding or program\$5 or software or logic\$4) with (condition\$1 or status or state\$1) and pipe\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 13:40
S15	2	control\$4 with leak\$3 with (flowmeter\$1 or (flow\$3 with meter\$1)) and (clos\$3 or open\$4 or stop\$4) with valve\$1 and (processor\$1 or microprocessor\$1 or CPU or computer\$1) with (condition\$1 or status or state\$1) with pipe\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 15:44
S16	2	control\$4 with leak\$3 with (flowmeter\$1 or (flow\$3 with meter\$1)) and (clos\$3 or open\$4 or stop\$4) with valve\$1 and (processor\$1 or microprocessor\$1 or CPU or computer\$1) with control\$4 with (condition\$1 or status or state\$1) with pipe\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 15:44
S17	2	leak\$3 with (flowmeter\$1 or (flow\$3 with meter\$1)) and (clos\$3 or open\$4 or stop\$4) with valve\$1 and (processor\$1 or microprocessor\$1 or CPU or computer\$1) with control\$4 with (condition\$1 or status or state\$1) with pipe\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 15:44
S18	4	control\$4 with leak\$3 with (flowmeter\$1 or (flow\$3 with meter\$1)) and (clos\$3 or open\$4 or stop\$4) with valve\$1 and (processor\$1 or microprocessor\$1 or CPU or computer\$1 or controller\$1) with control\$4 with (condition\$1 or status or state\$1) with pipe\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 15:45

EAST Search History

S19	33	control\$4 with leak\$3 with flow\$3 and (clos\$3 or open\$4 or stop\$4) with valve\$1 and (processor\$1 or microprocessor\$1 or CPU or computer\$1 or controller\$1) with control\$4 with (condition\$1 or status or state\$1) with pipe\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 15:47
S20	5	control\$4 with leak\$3 with flow\$3 and (clos\$3 or open\$4 or stop\$4) with valve\$1 and (processor\$1 or microprocessor\$1 or CPU or computer\$1 or controller\$1) with control\$4 with (condition\$1 or status or state\$1) with pipe\$1 and return\$3 with pipe\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 15:51
S21	2	"20060287837"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 15:49
S22	13	leak\$3 with flow\$3 and (clos\$3 or open\$4 or stop\$4) with valve\$1 and (processor\$1 or microprocessor\$1 or CPU or computer\$1 or controller\$1) with control\$4 with (condition\$1 or status or state\$1) with pipe\$1 and return\$3 with pipe\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 16:05
S23	0	leak\$3 with flow\$3 and (flowmeter\$1 or flow\$3 with meter\$1) and (clos\$3 or open\$4 or stop\$4) with valve\$1 and (processor\$1 or microprocessor\$1 or CPU or computer\$1 or controller\$1) with control\$4 with (condition\$1 or status or state\$1) with pipe\$1 and return\$3 with pipe\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 16:06
S24	0	leak\$3 with flow\$3 and (flowmeter\$1 or flow\$3 with meter\$1) and (clos\$3 or open\$4 or stop\$4) with valve\$1 and (processor\$1 or microprocessor\$1 or CPU or computer\$1 or controller\$1) with control\$4 with (condition\$1 or status or state\$1) with pipe\$1 and (feedback or return\$3) with pipe\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 16:07

EAST Search History

S25	8	leak\$3 with flow\$3 and (flowmeter\$1 or flow\$3 with meter\$1) and (clos\$3 or open\$4 or stop\$4) with valve\$1 and (processor\$1 or microprocessor\$1 or CPU or computer\$1 or controller\$1) with control\$4 with (condition\$1 or status or state\$1) with pipe\$1 and (suppl\$3 or source) with pipe\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 16:07
S26	0	leak\$3 with flow\$3 and (flowmeter\$1 or flow\$3 with meter\$1) and (clos\$3 or open\$4 or stop\$4) with valve\$1 and (processor\$1 or microprocessor\$1 or CPU or computer\$1 or controller\$1) with (condition\$1 or status or state\$1) with pipe\$1 and (suppl\$3 or source) with pipe\$1 and (return\$3 or feedback) with pipe\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 16:08
S27	8	leak\$3 with flow\$3 and (flowmeter\$1 or flow\$3 with meter\$1) and (clos\$3 or open\$4 or stop\$4) with valve\$1 and (processor\$1 or microprocessor\$1 or CPU or computer\$1 or controller\$1) with (condition\$1 or status or state\$1) with pipe\$1 and (suppl\$3 or source) with pipe\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 16:12
S28	3	control\$4 with (two-string\$2 or two adj string\$2) with pipe\$1 with installation\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 16:14
S29	3	control\$4 with (two-string\$2 or two adj string\$2) with pipe\$1 with instal\$7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 17:10
S30	8	control\$4 with (two-string\$2 or two with string\$2) with pipe\$1 with instal\$7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 16:15
S32	43	"4883087" "4043355" "4825198" "6134949"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 16:27

EAST Search History

S33	8	S32 and leak\$3 with (flowmeter\$1 or (flow\$3 with meter\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 16:27
S34	1	control\$4 with leak\$3 with (flowmeter\$1 or (flow\$3 with meter\$1)) and (clos\$3 or open\$4 or stop\$4) with valve\$1 and (processor\$1 or microprocessor\$1 or CPU or computer\$1) with box\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 17:28
S35	212	702/51.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 16:42
S36	1946	73/40.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 16:44
S37	503	73/49.1.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 16:44
S38	1113	137/312.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 16:47
S39	49	137/313.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 16:48
S40	83	137/314.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 16:48
S41	277	137/458.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 16:48

EAST Search History

S42	1294	137/557.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 16:48
S43	5	control\$4 with leak\$3 with (flowmeter\$1 or (flow\$3 with meter\$1)) and (clos\$3 or open\$4 or stop\$4) with valve\$1 and (processor\$1 or microprocessor\$1 or CPU or computer\$1) with pipe\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/24 09:01
S44	7	control\$4 with leak\$3 with (flowmeter\$1 or (flow\$3 with meter\$1)) and monitor\$3 with valve\$1 with (status or state\$1 or condition\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/24 09:19
S45	216	702/51.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 13:20
S46	1963	73/40.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 13:22
S47	1427	73/40.5r.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 13:22
S48	530	73/46.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 13:23
S49	507	73/49.1.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 13:59
S50	1122	137/312.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 13:23

EAST Search History

S51	49	137/313.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 13:25
S52	83	137/314.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 13:35
S53	277	137/458.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 13:35
S54	1297	137/557.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 13:36
S55	239	137/480.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 13:36
S56	429	137/460.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 13:36
S57	198	137/456.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 13:36
S58	615	137/488.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 13:36
S59	9509	control\$4 with leak\$3 with system\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 13:37
S60	225	control\$4 with leak\$3 with system\$1 with (processor\$1 or microprocessor\$1 or CPU)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 13:37

EAST Search History

S61	27	control\$4 with leak\$3 with system\$1 with (processor\$1 or microprocessor\$1 or CPU) with (code or coding or program\$5 or software)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 13:38
S62	0	control\$4 with leak\$3 with system\$1 with (flowmeter\$1 or (flow\$3 with meter\$1)) with (processor\$1 or microprocessor\$1 or CPU) with (code or coding or program\$5 or software)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 13:38
S63	21	control\$4 with leak\$3 with system\$1 with (flowmeter\$1 or (flow\$3 with meter\$1)) and (processor\$1 or microprocessor\$1 or CPU) with (code or coding or program\$5 or software)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 13:38
S64	0	control\$4 with leak\$3 with system\$1 with (flowmeter\$1 or (flow\$3 with meter\$1)) with stop\$4 with valve\$1 same (processor\$1 or microprocessor\$1 or CPU) with (code or coding or program\$5 or software)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 13:39
S65	0	control\$4 with leak\$3 with (flowmeter\$1 or (flow\$3 with meter\$1)) with stop\$4 with valve\$1 and (processor\$1 or microprocessor\$1 or CPU or computer\$1) with (code or coding or program\$5 or software)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 13:39
S66	0	leak\$3 with system\$1 with (flowmeter\$1 or (flow\$3 with meter\$1)) with stop\$4 with valve\$1 and (processor\$1 or microprocessor\$1 or CPU or computer\$1) with (code or coding or program\$5 or software)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 13:40
S67	21	leak\$3 with system\$1 with (flowmeter\$1 or (flow\$3 with meter\$1)) and stop\$4 with valve\$1 and (processor\$1 or microprocessor\$1 or CPU or computer\$1) with (code or coding or program\$5 or software)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 13:40

EAST Search History

S68	3	control\$4 with leak\$3 with (flowmeter\$1 or (flow\$3 with meter\$1)) and (clos\$3 or open\$4 or stop\$4) with valve\$1 and (processor\$1 or microprocessor\$1 or CPU or computer\$1) with (code or coding or program\$5 or software or logic\$4) with (condition\$1 or status or state\$1) and pipe\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 13:40
S69	51	leak\$3 with (flowmeter\$1 or (flow\$3 with meter\$1)) and (clos\$3 or open\$4 or stop\$4) with valve\$1 and (processor\$1 or microprocessor\$1 or CPU or computer\$1) with (code or coding or program\$5 or software or logic\$4) with (condition\$1 or status or state\$1) and pipe\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 13:40
S70	0	control\$4 with leak\$3 with system\$1 with (flowmeter\$1 or (flow\$3 with meter\$1)) with stop\$4 with valve\$1 and (processor\$1 or microprocessor\$1 or CPU or computer\$1) with (code or coding or program\$5 or software)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 13:41
S71	0	leak\$3 with system\$1 with (flowmeter\$1 or (flow\$3 with meter\$1)) with stop\$4 with valve\$1 and (processor\$1 or microprocessor\$1 or CPU or computer\$1) with (code or coding or program\$5 or software)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 13:41
S72	3	control\$4 with (two-string\$2 or two adj string\$2) with pipe\$1 with instal\$7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 13:41
S73	0	control\$4 with leak\$3 with system\$1 with (flowmeter\$1 or (flow\$3 with meter\$1)) with stop\$4 with valve\$1 and (processor\$1 or microprocessor\$1 or CPU or computer\$1) with (code or coding or program\$5 or software)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 13:50
S74	548	73/198.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 13:59

EAST Search History

S75	182	73/861.03.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 14:00
S76	3	control\$4 with (two-string\$2 or two adj string\$2) with pipe\$1 with instal\$7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 17:10
S77	1	control\$4 with leak\$3 with (flowmeter\$1 or (flow\$3 with meter\$1)) and (clos\$3 or open\$4 or stop\$4) with valve\$1 and (processor\$1 or microprocessor\$1 or CPU or computer\$1) with box\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 17:28

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	8708	702/51.ccls. or 73/40,40.5r,46,49.1.ccls. or 137/312,313,314,458,557,480,486,460,456,488.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 17:32
L2	95	(702/51.ccls. or 73/40,40.5r,46,49.1.ccls. or 137/312,313,314,458,557,480,486,460,456,488.ccls.) and control\$4 with leak\$3 with system\$1	US-PGPUB	OR	ON	2007/05/03 17:32
L3	4	(702/51.ccls. or 73/40,40.5r,46,49.1.ccls. or 137/312,313,314,458,557,480,486,460,456,488.ccls.) and control\$4 with leak\$3 with system\$1 with (processor\$1 or microprocessor\$1 or CPU)	US-PGPUB	OR	ON	2007/05/03 17:33
L4	7	(702/51.ccls. or 73/40,40.5r,46,49.1.ccls. or 137/312,313,314,458,557,480,486,460,456,488.ccls.) and control\$4 with leak\$3 with system\$1 same (processor\$1 or microprocessor\$1 or CPU)	US-PGPUB	OR	ON	2007/05/03 17:33
L5	19	(702/51.ccls. or 73/40,40.5r,46,49.1.ccls. or 137/312,313,314,458,557,480,486,460,456,488.ccls.) and control\$4 with leak\$3 with system\$1 and (processor\$1 or microprocessor\$1 or CPU) with (code or coding or program\$5 or software)	US-PGPUB	OR	ON	2007/05/03 17:33